## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: MS-belysning

Supplier's address: AS Metall-Service/MS-Belysning, Gardermovegen 95 B, 2030 NANNESTAD, NO

Model identifier: 9400489021

Type	of	light	source:	
------	----	-------	---------	--

separate con-

trol gear, light-

control

ing

Depth

Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		integrated LED		
(or other electri	ic interface)			
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Yes
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	arameters:	
Energy consur mode (kWh/10 up to the neare	00 h), rounded	5	Energy efficiency class	F
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		521 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P <sub>on</sub> ), ex- pressed in W		5,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,50
Networked standby power $(P_{\text{net}})$ for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82
Outer dimen-	Height	2	Spectral power dis-	See image
sions without	Width	28	tribution in the	in last page
		-	ara	İ


28

range 250 nm to 800

nm, at full-load

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,442			
		nates (x and y)	0,408			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	3	Survival factor	0,96			
the lumen maintenance factor	0,90					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/04/2019



**EPREL registration number:** 2172947 <a href="https://eprel.ec.europa.eu/qr/21">https://eprel.ec.europa.eu/qr/21</a>

72947

Supplier: AS METALL-SERVICE (Importer) Website: www.ms-belysning.no

**Customer care service:** 

Name: AS Metall-Service/MS-Belysning Website: www.ms-belysning.no

Email: post@ms-belysning.no Phone: +4763888500

Address:

Gardermovegen 95 B 2030 NANNESTAD

Norway